



THIRD ANGLE PROJECTION	
MATERIAL	SS-304
FINISH	-

PART NO	USED ON	QTY PER PART NO
---	---	---
NEXT ASSEMBLY	---	---

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED

GENERAL

1. DIMS ARE IN INCHES (MM)
2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)
3. MACHINE FINISH 125 MICRO INCH RMS
4. INTERNAL RADIUS .015
5. BREAK SHARP CORNERS .005 TO .015 LIMITS

1. LINEAR DIMS.  
 .XXX = .005  
 .XX = .002  
 .X = .010  
 --- = ± 1/2"

2. ANGLES = ± 1/2"

3. RUNOUT .010 TIR

4. HOLES IN ACCORDANCE WITH AND 10387

CONTRACT NUMBER	---
CLIENT	---
CONTRACTOR	---
DRAWN	CHRAG.S
DESIGN	CHECKED
LES	ASHISH
PRODUCT	D.A.
STRESS	MANUFACTURING
THERMAL	MATERIALS
MECHANISM	ELECTRICAL

TITLE

**NEX FLOW AIR PRODUCTS CORP.**  
 10520 YONCE STREET, UNIT 358-220, RICHMOND HILL, ON L4C 3C7  
 TEL.: (416) 410-1313 & FAX: (416) 410-1806 WWW.NEX-FLOW.COM

**OUTLINE DRAWING OF DRUM ANGEL**

SCALE 1:1

CAGE CODE --- DWG NO 35001

REV ---