



1/4" NPT
AIR INLET

Ø2.5" [Ø63.5]

Ø1.3" [Ø31.8]

M6 X 3 HOLES ON
Ø2.0" [Ø50.3]
PCD

Ø1.0" [Ø25.4]
THRU. THROAT DIAMETER

THIRD ANGLE PROJECTION		-	-	-	REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	CONTRACT NUMBER	-	NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7 TEL: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com	
MATERIAL	SS-304	-	-	-	GENERAL	CLIENT	-		
FINISH	BUFFING	-	-	-	1. DIMS ARE IN INCHES (MM).	CONTRACTOR	-		
					2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANS I14.5 (1992)	DRAWN	CHIRAG.S	DATE	20/06/2018
					3. MACHINE FINISH 125 MICRO INCH RMS	CHECKED	ASHISH	DESIGN	LES
					4. INTERNAL RADIUS .015" (0.4)	PROJECT	-	C.A.	-
					5. BREAK SHARP CORNERS 0.005" (0.1) TO 0.015" (0.4)	STRESS	MANUFACTURING	SIZE	CASE CODE
					LIMITS	THERMAL	MATERIALS	DWG NO	30002S
					1. LINEAR DIMS.	MATERIALS	ELECTRICAL	SCALE	1:1
					1. DIMS = .005" (0.1)	MECHANISM		CAD NO	-
					2. ANGLES = 2 1/2°			SHEET	1 OF 1
					3. HOLE DIA			REV	P 1
					4. HOLES IN ACCORDANCE WITH AND 10387				

PROPRIETARY
REPRODUCTION OR DISTRIBUTION
WITHOUT WRITTEN CONSENT OF
NEXFLOW™ IS PROHIBITED.