

Ø1.64" [Ø41.66]
THROAT DIAMETER


3/8" NPT
INLET

3.25" [82.55]

2.19" [55.56]

Ø2.75" [69.85]
Ø2.00" [50.80]

Ø2.98" [75.69]



THIRD ANGLE
PROJECTION

MATERIAL
ALUMINUM
OR
STAINLESS STEEL

FINISH

REQUIREMENTS-UNLESS OTHERWISE SPECIFIED	GENERAL	---	---	---
1. DIMS ARE IN INCHES (MM)	---	---	---	---
2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANS Y14.5 (1982)	---	---	---	---
3. MACHINE FINISH 125 MICRO INCH RMS	---	---	---	---
4. INTERNAL RADII .015	---	---	---	---
5. BREAK SHARP CORNERS .005 TO .015	---	---	---	---
LIMITS	---	---	---	---
1. LINEAR DIMS	XXX = .005	---	---	---
	XX = .010	---	---	---
	X = .030	---	---	---
2. ANGLES = ± 1/2°	---	---	---	---
3. RUNOUT .010 TIR	---	---	---	---
4. HOLES IN ACCORDANCE WITH AND 10387	---	---	---	---
PART NO	---	---	---	---
NEXT ASSEMBLY	---	---	---	---
USED ON	---	---	---	---
QTY PER PART NO	---	---	---	---
ASSY	---	---	---	---

CONTRACT NUMBER	---
CLIENT	---
CONTRACTOR	---
DRAWN	CHIRAG S
DESIGN	LES
CHECKED	ASHISH
DATE	08/04/2015
PROJECT	QA
STRESS	---
THERMAL	---
MECHANISM	---
MANUFACTURING	---
MATERIALS	---
ELECTRICAL	---

TITLE	NEX FLOW AIR PRODUCTS CORP.	
	10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7	
	TEL: (416) 410-1313 & FAX: (416) 410-1806 WWW.NEX-FLOW.COM	
	OUTLINE DRAWING OF	
	ADJUSTABLE AIR AMPLIFIER SIZE 2"	
SIZE	CAGE CODE	DWG NO
---	---	40002/40002S
SCALE	CAD NO	AAA-2
1:1	---	---

RELEASE	REV	---	---
SHEET	1	OF	1

8 7 6 5 4 3 2 1