



1/8" NPT THD.

COMPRESSED AIR INLET

LOCK RING

AIR IN
 $\phi 1.000''$
 [25.40]

2-1/8" (53.97)

0.374"
 [9.50]

AIR OUT

THIRD ANGLE PROJECTION		REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP.					
		GENERAL				CLIENT	10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7					
MATERIAL	ALUMINIUM/BRASS/SS-316L	1. DIMS ARE IN INCHES (MM)				DRAWN	DATE	TITLE				
		2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				CHIRAG.S	08/04/2015	OUTLINE DRAWING OF AIRJET 45002				
FINISH	-	3. MACHINE FINISH 125 MICRO INCH RMS				DESIGN	PROJECT					
		4. INTERNAL RADI .015				LES	ASHISH					
NEXT ASSEMBLY		USED ON	QTY PER ASSY	PART NO	LIMITS		SCALE		CAGE CODE	DWG NO	RELEASE	REV
PART NO		-	-	-	1. LINEAR DIMS. .XXX = .005 .XX = .010 .X = .050		1:1		-	45002	-	-
PART NO		-	-	-	2. ANGLES = $\pm 1/2^\circ$		MECHANISM		SCALE	CAD NO	SHEET	OF
PART NO		-	-	-	3. RUNOUT .010 TIR		ELECTRICAL		1:1	AJ-45002	1	1
PART NO		-	-	-	4. HOLES IN ACCORDANCE WITH AND 10387		ELECTRICAL		1:1	AJ-45002	1	1